

**OLiKA**  
stands & displays portátiles

# CARPAS INFLABLES

VERSÁTIL, CALIDAD PREMIUM, FÁCIL DE USAR



X GLOO  
SHAPING AIR



SERIES	4-7
ELEMENTS	8-11
BRANDING	12-15
FEATURES	16-19
ACCESSORIES	20-21
STYLISH	
ADDITIONS	22-23



MODULAR



PRINTABLE



QUICK SETUP



VERSATILE



PREMIUM  
QUALITY



EASY TO USE



ALL TERRAIN

# THE INFLATABLE X GLOO TENT



## Incomparably innovative and versatile as:

- a pavilion for the impressive presentation of your products at trade fairs, events and roadshows
- an outdoor event tent on asphalt, the beach, the mountains and the most rugged terrain
- a rescue tent for the effective protection of people and equipment
- a mobile office and shelter at temporary job sites and mobile construction sites
- a solution for temporary space for YOUR occasion

## ...and always featuring:

- ample advertising space
- an attractive design
- lightweight construction and easy handling
- quick setup times
- visibly high-quality workmanship

# THE XD TENT SERIES

Tents from 4x4m up to massive tent combinations.



**XD 4 TENT**

Ideal for smaller construction areas and exhibition stands starting at 4x4m. The dome-shaped roof offers a perfect display for your products. Thanks to the optional components available, this space can be individually designed, and/or expanded as needed by combining several tents. Another advantage: Lightweight and compact, the XD 4 tent can be transported by just one person and set up very easily.

## SPECIFICATIONS

Side length:	13,1 ft	4,0 m
Entrance height:	6,9 ft	2,1 m
Total height:	8,9 ft	2,7 m
Tube diameter:	0,8 ft	0,25 m
Covered area:	102,3 ft <sup>2</sup>	9,5 m <sup>2</sup>
Weight:	33 lb	15,0 kg
Air pressure:	0,35 bar	5 psi
Setup time with electric pump:		5 min

## ELEMENTS

Standard Wall	Canopy
Entrance Wall	Canopy Banner
Window Wall	Tunnel Parts



**XD 5 TENT**

Our most popular model. Thanks to additional components such as roof and canopy banners, it can be perfectly adapted to suit a variety of requirements. Its size also offers enough space to accommodate both larger groups of visitors or products such as jet skis or compact cars. Despite the space it offers, the weight of the XD 5 - less than 20 kg- makes it light and compact. It can be carried by one person and set up easily.

## SPECIFICATIONS

Side length:	16,4 ft	5,0 m
Entrance height:	8,2 ft	2,45 m
Total height:	10,7 ft	3,25 m
Tube diameter:	0,9 ft	0,30 m
Covered area:	161 ft <sup>2</sup>	15,0 m <sup>2</sup>
Weight:	44 lb	20,0 kg
Air pressure:	0,3 bar	4 psi
Setup time with electric pump:		10 min

## ELEMENTS

Standard Wall	Canopy
Entrance Wall	Canopy Banner
Window Wall	Tunnel Parts



**XD 6 TENT**


Thanks to the enormous amount of space and optional additional components, such as roof and canopy banners, the XD 6 model offers a very customer-oriented tent solution. This versatile tent provides the right presentation environment for your brand and larger products, while keeping your displays, seating and guests out of the rain and elements. With an individual, custom-made, high-quality print, it is guaranteed to be an eye-catcher.

## SPECIFICATIONS

Side length:	19,7 ft	6,0 m
Entrance height:	9,8 ft	3,0 m
Total height:	12,8 ft	3,90 m
Tube diameter:	1,1 ft	0,35 m
Covered area:	226 ft <sup>2</sup>	21,0 m <sup>2</sup>
Weight:	55 lb	25,0 kg
Air pressure:	0,3 bar	4 psi
Setup time with electric pump:		15 min

## ELEMENTS

Standard Wall	Canopy
Entrance Wall	Canopy Banner
Window Wall	Tunnel Parts



**XD 7 TENT - COMING SOON**

The XD 7 tent provides a huge covered area for your big event and offers ample space for effective advertising through high-quality printing. Despite its impressive size, the XD 7 weighs only 30 kg. With the help of an electric pump, it can be set up by two people in about 25 minutes.

## SPECIFICATIONS

Side length:	23 ft	7,0 m
Entrance height:	11,5 ft	3,5 m
Total height:	15 ft	4,55 m
Tube diameter:	1,3 ft	0,40 m
Covered area:	312 ft <sup>2</sup>	29,0 m <sup>2</sup>
Weight:	66 lb	30,0 kg
Setup time with electric pump:		25 min

## ELEMENTS

Standard Wall	
Entrance Wall	
Window Wall	Tunnel Parts



### INCLUDED IN PACKAGE

Tent, Hand Pump, Anchoring Line Set, Closing Rod (XD5-7), User Manual and Repair Kit.

# THE XC 3 TENT


A compact tent for 3x3m exhibition areas.



XC 3 TENT

The XC 3 tent gives ordinary 3x3-meter exhibition booths an extraordinary look. The high, dome-shaped roof provides a vaulted space in which visitors and users feel much more comfortable than in conventional pavilions and pole tents.

Thanks to its minimal weight (just over 8 kg), the convenient transport using the included backpack and the easy setup, one person can build the tent standing in just five minutes. The materials and processing methods used in the XC 3 guarantee a long product life.



## INCLUDED IN PACKAGE

Tent, Hand Pump, Anchoring Line Set, Repair Kit, User Manual.

## SPECIFICATIONS

Side length:	10,0 ft	3,0 m
Entrance height:	6,4 ft	1,95 m
Total height:	8,5 ft	2,6 m
Tube diameter:	8,0 in	0,2 m
Covered Area:	60,3 ft <sup>2</sup>	5,6 m <sup>2</sup>
Weight:	18,4 lb	8,32 kg
Air pressure:	0,35 bar	5 psi
Setup time with electric pump:		5 min

## ELEMENTS

- Entrance Wall
- Window Wall
- Standard Wall
- Tunnel Parts

„These tents look awesome! I am excited to do more projects together with X GLOO.“

Dan Paulsrud, GMR Marketing



# ELEMENTS

Available wall and tunnel components provide a larger surface for branding, optionally divide the space in the tent and offer extra shade and protection from wind and weather.



STANDARD WALL

The standard wall provides complete privacy as well as generous advertising space. The convenient zipper system allows you to display your graphics inside or outside.

**2-sided printing also available.**



ENTRANCE WALL

The entrance wall features a full-length vertical zipper to easily open or close the tent. The two halves can be held open to the sides using the attached toggle fasteners.



WINDOW WALL

The transparent PVC window in the window wall reliably protects against wind and weather, and lets natural light in. The wide area below the window offers a convenient advertising space.



CANOPY

The arc of the canopy is created by means of its own inflatable tube at the front, which is inflated after zipping it onto the tent. The canopy effectively increases the covered area of the tent.



CANOPY BANNER

The optional, exchangeable canopy banner zips in at the front of the canopy to present your graphics prominently at the front of your booth.





TUNNEL PARTS

The connecting tunnel creates a visually seamless and weatherproof roof transition from one tent to the other.

# DIVERSITY

The combinations are diverse, create multiple possibilities and design options.




„I was impressed with the quality of the product. As a product designer I know the value of work that went into it: every aspect of the tent is very well thought through.“

Alexis Angelides, Carvingmagazine



# DIGITAL PRINTING

is suitable for individual color design and personalization of the tents.



## BRANDING ON WHITE FABRIC

The brilliant colors achieved through dye-sublimation printing guarantees you the perfect appearance.

This branding option includes full-surface dye-sublimation printing of your graphics across the entire tent roof and/or desired components. Simply provide us with your desired colors, logos, graphics and images. We then transfer your individual design via dye-sublimation printing onto our high-quality tent fabric, turning your event tent into a perfectly-branded eyecatcher.

**UPON REQUEST** we also like to visualize your 3D X GLOO Tent for your special application.

„You guys have done an amazing job with this, from the quality of material and design to the reproduction of our artwork. The X GLOO Tent is stunning! “

David Wilson, Director, Mauds Ice Creams



# FOIL PRINTING

For the quick design and personalization of our in-stock tents.



## BRANDING ON DYED FABRICS

The date of your event is approaching but you still don't have a tent? For these occasions we keep a wide range of customizable products in stock. This means you can quickly get a unique, premium-quality tent as an eyecatcher for your event.

Using thermal-transfer foil printing, we apply your logos, graphics and images to partial areas of the tent in the in-stock color of your choice.

**UPON REQUEST** we also like to visualize your 3D X GLOO Tent for your special application.

„The tents are proving to be a hit! We are getting great feedback for them and the visitors are really liking it. Thanks!“

Mike Sparks; Marketing Werks





# FEATURES

The X GLOO tent combines a sophisticated design with the best possible incorporation of premium-quality materials

...down to the smallest detail.



VERSATILE



PREMIUM QUALITY



EASY TO USE



## „MADE IN EUROPE“ QUALITY

Our tents are engineered and designed in Chiemgau, Germany and Manufacturing takes place in our own production facility in Latvia.

We also focus on using materials which are primarily produced in Europe.



## FORM STABILITY AND AESTHETICS

The tent combines aerodynamic design with the best possible incorporation of high-quality materials.

This unique combination makes the tent sturdy and the lightweight, open form creates a very individual atmosphere.



## SPECIALLY-SELECTED MATERIALS

The tent protects against sun, rain and wind and is suitable for both indoor and outdoor use.

The specialized materials used are classified as "flame retardant" by the German standard DIN 4102-1 as well as the US standard CPAI 84 component.



## FUNCTIONAL PRODUCT DESIGN

Zipper covers, sealed seams and a robust PU fabric coating are just a few of the signs that our high quality standards go down to the last detail, while also ensuring that the tent can perform in all weather conditions.



### ONE-PUMP SYSTEM

for a quick and effective Setup.





UV RESISTANT



FLAME RETARDANT



WATERPROOF



WIND RESISTANT



PRINTABLE



QUICK SETUP



MODULAR



ALL TERRAIN

We put great importance on taking a thorough approach to the development of our tents, to provide you with a high-quality product that offers the best value for money.

That's why we have tested our X GLOO tents in a professional wind tunnel. The results and findings helped guide us while shaping and processing, and when choosing sizes and materials.

The tests in the wind tunnel showed us where and how the statics and strength of the support structure (inflatable tubes) could be significantly improved and how an optimized relationship between column diameter and air pressure could be created.

The results are in these clear advantages:

The tubes lead steeply upwards, creating not only a more generous space, but also a larger roof area, which increases the available branding space.

At the same time, wind and weather resistance can be ensured by reinforcing the fabric in sensitive areas: X GLOO tents withstand winds of up to 60 km/h and offer a considerable advantage over folding tents and pole tents.

The implementation of our requirements and quality standards is ensured by our Latvian subsidiary MATOTEX. Together, we develop and produce hand in hand for the satisfaction of our customers.



## A UNIFIED CONNECTION SYSTEM

Optional components, including walls, canopies and tunnel parts, are attached to the tent by means of highly-stable spiral zippers.

The unique roof-tube connection system allows for the roof to be easily exchanged – perfect if a tent with multiple design options is needed.



## PREMIUM-HIGH QUALITY VALVES

The valves connect securely to the pump, so that no air is lost during inflation or when the pump is disconnected.

All valves used on the XD series of tents are flush-mounted on the tubes. If the air pressure inside the tubes is ever exceeded – when inflating or through exposure to direct sunlight for example – the built-in overpressure valves will automatically release excess air.



## ONE-PUMP SYSTEM

The one-pump system is available as an optional upgrade for all tents in the XD series.

It allows an even faster setup and ensures uniform air distribution in all four tubes.



## PURPOSEFUL REINFORCEMENTS

After careful evaluation of the XD tents in numerous wind tunnel tests, we engineered and added targeted reinforcements to points which were exposed or which came under stress.

Thanks to a wide range of special anchoring options, the tents can withstand wind speeds of up to 60 km/h and can be set up on any surface and in any environment.



# ACCESSORIES

offers numerous options for securing your tent in strong winds, optimizing its appearance and simplifying transport and installation.

## PUMP



Hand Pump - for XC 3, XD 4, 5, 6



Electric Pump BRAVO 230/2000 - for XC 3, XD 4, 5, 6, 7



Grass Anchor Sets - for all tent sizes



Wall Ballasts - for all tent sizes

## STABILITY

## TRANSPORT



Back Pack - for XC 3  
Transport Bag L - for XD 4 / XL - for XD 5, 6



Transport Handtruck and Easy Bag - for XD 4, 5, 6  
coming soon



Water Ballast Barrels - for all tent sizes  
Digitally-Printed Covers - a great seating option



Tube Ballasts - for XC 3, XD 4, 5, 6

## LIGHT & PROTECTION



Bag L - for XD 4 / XL - for XD 5, 6



Convertible Hard Case/Counter - for XC 3, XD 4



LED Lighting Kit - for all tent sizes



Protection Foil - for all tent sizes

# STYLISH ADDITIONAL

Convertible Hard Case/Counter  
with branded wrapping,  
shelves and countertop.



Inflatable Couch



Inflatable Chair



Inflatable Cushion



Inflatable Seat

# WE ARE X GLOO ✕ WE SHAPE AIR

AIR IS OUR ELEMENT.  
OUR CHALLENGE IS TO MAKE THE INTANGIBLE TANGIBLE!  
WITH PASSION. FOR PEOPLE.



## WE ARE X GLOO ✕ OUR TEAM

We are excited about our products. They are the result of our successful interplay of creative ideas, the development of new technical textiles and innovative processing methods, our own European production and service-oriented sales logistics.

Our highly motivated and competent team offers top class service for you to be a satisfied X GLOO customer! We ensure to meet deadlines so that your individually designed X GLOO tent can be used worldwide at the desired time.



Mare de Déu dels Àngels, 76 Local D | 08221 Terrassa (BCN) | T. 937 127 137 | M. 673 128 440 | [info@olikastands.com](mailto:info@olikastands.com)

[olikastands.com](http://olikastands.com)